


## **BI-CUTTER SCREENLESS GRANULATORS**

### **MODEL: SR68**

**Patent # 6,450,427**



### **Machine Specifications SR68** (specifications are subject to change without notice)

Cutting Chamber W x L	6" x 8"
Motor Horsepower	0.5HP/0.37kW
Rotation Speed of S-Blade (Upper/First Stage)	15 RPM
Rotation Speed of Rotary Cutter (Lower/Second Stage)	45 RPM
Standard Gear Ratio	40:1
Rotary Cutter and Granule Size (Lower/Second Stage)	(4 x 5 mm) 5/32" x 3/16"

Shipping Weight ^	225 lb.
Throughput Per Hour*^	Up to 12 lb.
Collector Bin Capacity*^	Up to 8 lb.
<b>Custom Options:</b> (including but not limited to the following)	<b>Electrical Options:</b> (including but not limited to the following):
3x5mm, Cutters	Auto-Stop Reverse
Hoppers, Magnet, Bases	Nema- 12
Collectors, Take-Out Tube	Strobe Light
Color	Horn
Gear Ratio, <b>Cleanroom</b>	Proximity Switch
Pellet Mover Systems	
Fine Separator Systems	
Blower Evacuation System	

\*Throughput and capacity will vary depending on material type, diameter and size of runner. It is also dependent on cutter size and gear ratio provided.

^ Based on standard unit, custom features or options may change information provided.