



**QUICK
SHIP**

INTRODUCING *SCHOLD QUICK SHIP* — SAME HIGH QUALITY EQUIPMENT IN A FRACTION OF THE TIME

Schold Quick Ship dispersers are designed and manufactured “ready to assemble” with **completion in just 2-5 weeks**. Select your desired model, then **customize the options** to fit your processing needs.

Avoid unnecessary downtime, bottlenecks, and costly short-term repairs. Keep up with demand and take your production to the next level with *Schold Quick Ship*. Contact our team of experts to get started.

Featured Machine - Schold VHS 500

**BETTER
DISPERSIONS.**



SELECT YOUR MODEL:

MODEL	VHS 300	VHS 400	VHS 500	VHS 600
POWER	10 HP [8 KW]	20 HP [15 KW]	30 HP [15-22 KW]	50 OR 60 HP [37/45 KW]
CAPACITY	UP TO 100 GAL [379 L]	UP TO 200 GAL [757 L]	UP TO 300 GAL [1,136 L]	UP TO 600 GAL [2,271 L]
INPUT VOLTAGE*	480V/3PH/60HZ *CONTACT SCHOLD FOR OTHER OPTIONS			
MAX TANK DIA	30"	38"	48"	72"
RISE STROKE	38"	48"	60"	60"
HEIGHT TO HEAD (LOWERED)	60"	60"	75"	75"
BLADE TYPE*	HIGH SHEAR (STANDARD) OR HIGH PUMPER *CONTACT SCHOLD FOR OTHER OPTIONS			
BLADE DIA	8" (STANDARD) OR 6, 7, 9, 10"	10" (STANDARD) OR 8, 9, 12, 14"	10" (STANDARD) OR 12, 14, 16"	12" (STANDARD) OR 14, 16, 18"
BLADE NUT TO FLOOR	5-10"	10-15" (STANDARD) OR 4-24"	12-17" (STANDARD) OR 4-30"	12-17" (STANDARD) OR 6-30"
CONTROL PANEL	4 PUSH BUTTON W/ LIFT (STANDARD) *SEE BELOW TO VIEW ALL OPTIONS			



4 PUSH BUTTON
W/ LIFT



4 PUSH BUTTON
W/ LIFT & READOUT



LIFT CONTROL
(XP)



4 PUSH BUTTON
(XP)



4 PUSH BUTTON
W/ READOUT (XP)

CONTACT SCHOLD:



Questions? Ready to place an order? Our team of experts will walk you through the process step-by-step to assure you find the perfect fit for your operation.



QUICK TURNAROUND:

Once an order is placed, you can expect the unit(s) to be **ready in 2-5 weeks**. Certain special requests (input voltage, blade type, etc.) may alter lead-time.

