



Beltomatic Safesteril Biogreen Game Changer Smoker
Tribal Fire Grill



CHART OF CONVEYOR MODELS

MODEL OPTIONS

100 SERIES

Model	Type	# of Webs	Web Width/Length	Effective Sq. Ft. Area	Web Drive HP.	Fan Size. Fan HP	Max CFM Available	Max Burner BTU/HR	Max lbs Water Evaporation
123C	All Cool	1	2' x 12'	20	3/4	24" - 3HP	3,000	N/A	N/A
123B	All Heat or Heat/Cool	1	2' x 12'	20	3/4	24" - 3HP	3,000	1M	120
123B-2	All Heat	2	2' x 12'	40	(2) 3/4	24" - 3HP	3,000	1M	200

200 SERIES

Model	Type	# of Webs	Web Width/Length	Effective Sq. Ft. Area	Web Drive HP.	Fan Size. Fan HP	Max CFM Available	Max Burner BTU/HR	Max lbs Water Evaporation
205C	All Cool	1	6' x 12'	60	3/4	28" - 5HP	10,000	N/A	N/A
205B	All Heat or Heat/Cool	1	6' x 12'	60	3/4	28" - 5HP	10,000	2M	300
207B-2	All Heat	2	6' x 12'	120	(2) 3/4	34"-7.5HP	13,000	2M	600
207B-2X	Heat/Cool	2	6' x 12' & 6' x 18'	156	(2) 3/4	34"-7.5HP	13,000	2M	700
207C-2	All Cool	2	6' x 12'	120	(2) 3/4	34"-7.5HP	13000	N/A	N/A

300 SERIES

Model	Type	# of Webs	Web Width/Length	Effective Sq. Ft. Area	Web Drive HP.	Fan Size. Fan HP	Max CFM Available	Max Burner BTU/HR	Max lbs Water Evaporation
320B	All Heat or Heat/Cool	1	6' x 24'	132	3/4	38" - 20HP	20,000	3M	1,200
320C	All Cool	1	6' x 24'	132	3/4	38" - 20HP	20,000	N/A	N/A
320B-2	All Heat	2	6' x 24'	264	(2) 3/4	38" - 20HP	20,000	3M	2,000
320B-2X	Heat/Cool	2	6' x 24' & 6' x 30'	300	(2) 3/4	38" - 20HP	20,000	3M	2,200
320C-2	All Cool	2	6' x 24'	264	(2) 3/4	38" - 20HP	20000	N/A	N/A

400 SERIES

Model	Type	# of Webs	Web Width/Length	Effective Sq. Ft. Area	Web Drive HP.	Fan Size. Fan HP	Max CFM Available	Max Burner BTU/HR	Max lbs Water Evaporation
430B	All Heat or Heat/Cool	1	6' x 36'	204	3/4	38" - 30HP	30,000	4M	1,800
430C	All Cool	1	6' x 36'	204	3/4	38" - 30HP	30,000	N/A	N/A
430B-1.66	Heat/Cool	2	6' x 24' & 6' x 36'	336	(2) 3/4	38" - 30HP	30,000	4M	2,809
430B-2	All Heat	2	6' x 36'	408	(2) 3/4	38" - 30HP	30,000	4M	3200
430C-2	All Cool	2	6' x 36'	408	(2) 3/4	38" - 30HP	30,000	N/A	N/A
430B-2X	Heat/Cool	2	6' x 36' & 6' x 39'	426	(2) 3/4	38" - 30HP	30,000	4M	3400
440B-X2	All Heat	2	6' x 39'	456	(2) 3/4	38" - 40HP	40,000	5M	3400
450B-X3	All Heat	3	6' x 39'	684	(3) 3/4	38" - 50HP	50,000	6M	4200
460B-X4	All Heat	4	6' x 39'	912	(4) 3/4	38" - 60HP	60,000	7M	4200

500 SERIES

Model	Type	# of Webs	Web Width/Length	Effective Sq. Ft. Area	Web Drive HP.	Fan Size. Fan HP	Max CFM Available	Max Burner BTU/HR	Max lbs Water Evaporation
540B	All Heat or Heat/Cool	1	8' x 36'	272	2	38" - 40HP	40,000	5M	2,400
540C	All Cool	1	8' x 36'	272	2	38" - 40HP	40,000	N/A	N/A
540B-1.66	Heat/Cool	2	8' x 24' & 8' x 36'	448	(2) 2	38" - 40HP	40,000	5M	3,400
540B-2	All Heat	2	8' x 36'	544	(2) 2	38" - 40HP	40,000	5M	4000
540C-2	All Cool	2	8' x 36'	544	(2) 2	38" - 40HP	40,000	N/A	N/A
540B-2X	Heat/Cool	2	8' x 36' & 8' x 39'	568	(2) 2	38" - 40HP	40,000	5M	4200
540B-X2	All Heat	2	6' x 39'	608	(2) 2	38" - 40HP	40,000	5M	4000
550B-X3	All Heat	3	6' x 39'	912	(2) 2	38" - 50HP	50,000	6M	5000
560B-X4	All Heat	4	6' x 39'	1216	(2) 2	38" - 60HP	60,000	7M	6000

PC SERIES

Model	Type	# of Webs	Web Width/Length	Effective Sq. Ft. Area	Web Drive HP.	Fan Size. Fan HP	Max CFM Available
PC112	All cool, all Heat, Heat/Cool	1	2' x 12'	20	3/4	24" - 3HP	3,000
PC112-2	All cool, all Heat, Heat/Cool	2	2' x 12'	40	(2) 3/4	24" - 3HP	3,000

PC212	All cool, all Heat, Heat/Cool	1	6' x 12'	60	3/4	28" - 5 HP	10,000
PC212-2	All cool, all Heat, Heat/Cool	2	6' x 12'	120	(2) 3/4	34" - 7.5HP	13,000
PC324	All cool, all Heat, Heat/Cool	1	6' x 24'	132	3/4	38" - 20HP	20,000
PC324-2	All cool, all Heat, Heat/Cool	2	6' x 24'	264	(2) 3/4	38" - 20HP	20,000
PC436	All cool, all Heat, Heat/Cool	1	6' x 36'	204	3/4	38" - 30HP	30,000
PC436-2	All cool, all Heat, Heat/Cool	2	6' x 36'	408	(2) 3/4	38" - 30HP	30,000
PC536	All cool, all Heat, Heat/Cool	1	8' x 36'	272	2	38" - 40HP	40,000
PC536-2	All cool, all Heat, Heat/Cool	2	8' x 36'	544	(2) 2	38" 4 40HP	40,000

CALL OR EMAIL FOR MORE INFO

Phone # (574) 353-7855

Aaron Norris – Sales | aaron@norrithermal.com

Janelle Norris - Parts and service | janelle@norrithermal.com

Cody Johnston - Technical support | cody@norrithermal.com



NORRIS THERMAL TECHNOLOGIES

Contact

sales@norrithermal.com

(574) 353-7855



