


VC

Vertical Cartoner



BRUNNER
Kartoniermaschinen
Verpackungsanlagen

VC



- Machine output up to 60 cartons per minute
- Mechanical cam-controlled main drive
- No pneumatic movement
- Quick and simple change of size parts
- Low-maintenance and low noise
- Manual or automatic feeding system
- Gentle treatment of sensitive folding boxes
- Tuck-in or hotmelt closure
- Stored program control

Technology which never loses its cycle

The Vertical Cartoner VC was created with the knowledge and technology of high efficiency cartoning machines.

This design guarantees a trouble-free continuous operation for up to 60 cartons per minute.




With three loading stations and flexibility

The loading of products on the VC Cartoner can be performed manually, but a fully automatic product infeed system can be installed.

With three loading stations several products can be inserted or combined with other filling equipment, several applications are possible.

Branches area:

- Pharmacy
- Cosmetic
- Food industry
- Free-flowing material
- Technical parts
- Toys
- Chemical products



VC

Technical data:

Folding box formats

A 20 - 80 mm
B 15 - 60 mm
H 60 - 200 mm

Output

60 cartons per minute

Folding box closure

Tuck-in closure
Hotmelt closure

Options

Embossing device and colour printing
Infeed of prefolded instruction sheets or brochures
Automatic product infeed system
Validation according to customer request
Customer designed options and special equipment

Technology is subject to change without notice