


[About Us](#)
[Blister Sealers](#)
[Clamshell Sealers](#)
[Skin Pack](#)
[Die Cutting](#)
[Thermoforming](#)
[Tooling](#)
[Used Machines](#)
[News](#)
[Contact](#)

Skin Packaging Semi Automatic

Specifications

Models	CT/CT-R 1824	CT/CT-R 2430	CT/CT-R 2436	CT/CT-R 2448	CT/CT-R 3036	CT/CT-R 3048	CT/CT-R 3648
Board Size	18" X 24" (45.7cm X 60.9cm)	24" X 30" (60.9 X 76.2cm)	24" X 36" (60.9 X 91.4cm)	24" X 48" (60.9 X 121.9cm)	30" X 36" (76.2 X 91.4cm)	30" X 48" (76.2cm X 121.9cm)	36" X 48" (91.4cm X 121.9cm)
Max. Product Height	10" (25.4cm)						
Air Requirements	80-100 PSI (Bar 5-7) -> Supplied by customer						
Air Consumption	.256 CFC @ 100 PSI (0.0072m3 @ Bar 7)			.512 CFC @ 100 PSI (0.014m3 @ Bar 7)	.256 CFC @ 100 PSI (0.0072m3 @ Bar 7)	.512 CFC @ 100 PSI (0.014m3 @ Bar 7)	
Filter, Regulator	Supplied by Visual						
Vacuum System	Turbine vacuum system						
Cycle Times	Variable 15 to 60 seconds						

Electrical	220/1 Phase 208/230/3 Phase		208/230/3 Phase				
Dimensions D	32" / 66" 81.3 cm / 167.6 cm	38" / 78" 96.5 cm / 198 cm			44" / 90" 111.8 cm / 228.6 cm		50" / 96" 127 cm / 243.8 cm
L	40" / 101.6 cm	46" / 116.8 cm	52" / 132cm	64" / 162.5 cm	52" / 132cm	64" / 1162.5 cm	
H	66" / 72 • 167.6 / 182.9cm						
Working Height	40" Adjustable (101.6 cm)						
Weight Approx.	400 Lbs. (181.4 Kg)	500 Lbs. (226.8Kg)	650 Lbs. (294.8 Kg)	600 Lbs. (272.2Kg)	575 Lbs. (260.8 Kg)	625 Lbs. (283.5Kg)	650 Lbs. (294.8 Kg)
Models	CT/CT-R 1824	CT/CT-R 2430	CT/CT-R 2436	CT/CT-R 2448	CT/CT-R 3036	CT/CT-R 3048	CT/CT-R 3648

* For Specification on other sizes please contact Visual.

Skin packaging : [[Semi Automatic](#) | [Automatic](#) | [Large Format Automatic](#)]



Visual Packaging Group LLC (USA)



Visual Packaging, Thermoforming, Form Fill & Seal

[Home](#) | [About Us](#) | [Blister Sealers](#) | [Clamshell Sealers](#) | [Skin Pack](#) | [Die Cutting](#) | [Thermoforming](#) | [Tooling](#) |
[Used Machines](#) | [News](#) | [Contact](#)

Sales:

Toll free: (877) 860-PACK (7225) Parts and Service:

Tell: (817) 860-PACK (7225) Toll Free: (877) 860-PACK (7225)



E-mail: sales@thermoforming.net E-mail: service@thermoforming.net

Fax: (817) 303-8555

Now accepting credit cards for parts and equipment sales