









Up to 60 per minute
FULLY AUTOMATIC
SCREW CAPPERS
MODEL S SERIES

Industries:

Food & Food Products
Household Products
Custom Packers
Glass & Cap Manufacturers
Pharmaceuticals
Drugs
Cosmetics
Chemicals & Oils
Special Applications



The Versatile, Simple to Use, In-Line Screw Cappers



Cap Ranges Available — 13 to 70mm
 Container Range — 1/2 ounce to 1 gallon
 Speeds of Operation — (vari-speed motor drives)
 Model S-30 — 24/60 per minute (glass & metal containers)
 24/55 per minute (plastic containers)



Model S-30 Automatic Screw Capper

Supplied with air operated mechanical chuck.

Model S-30 PP Fully Automatic Plastic Plug Applicator

Plug Range: Available from 13 mm to 24 mm
 Container Range: 1/2 oz. to 1 quart
 Speeds: 20 to 55 per minute

SPECIAL VARIATIONS QUOTED UPON REQUEST.



Model S-41 Completely Automatic High Speed Screw Capper

Top friction chuck available for this model.

Cap Ranges Available — 38-53mm or 58 to 89mm (400 series caps)


Container Range — 2 ounce to 1 gallon

Speeds of Operation — (vari-speed motor drives)


Model S41 — 24/60 per minute (glass & metal containers)

24/55 per minute (plastic containers)

SPECIAL VARIATIONS QUOTED UPON REQUEST.




FRONT OF MACHINE



APPROX. WEIGHT 2200#
997.9 KG

FRONT OF MACHINE



Model S-36 (for caps higher than 1 3/8")

Supplied with air operated mechanical chuck.

Speeds: 18 to 45 caps per minute
Cap ranges from 18mm to 38mm
Container range— 1/2 ounce to 1 gallon

SPECIAL VARIATIONS QUOTED UPON REQUEST.

**Resina is a manufacturer of automatic screw cappers,
internal plug inserters, fitment applicators, inner
sealers, friction lid placers . . . all designed to fit
any production line.**


BROOKLYN, NY 11231
(718) 875-6020




REPRESENTED BY:

L & M SALES CO.
540 Frontage Road
Suite 233A
Northfield, IL 60093
Phone (708) 441-6555

1) ALL DIRECTIONS, SEE APPROXIMATE
2) APPROX. 10000 WT. 22000



FRONT OF MACHINE



FRONT OF MACHINE

—EXHIBITIONS.....
—EXHIBITION.....
—EXHIBITION.....

	CHARGE	DATL	DT	ENT.	CHARGE	DATL	DT
.				.			

D.C. MOTOR COMPANY				RESINA AUTOMATIC MACHINERY CO., INC.			
VOLTAAGE—VARIABLE SPECIALLY FACT. DR. & A13 DRON. DR. 2 and				DIRECT OF—SPEECH			
DR.	CM.	SCALE	WAT.				
28		116		8/22/89	PART NO.		5W-50

FLOOR PLAN

893401

5N-30