



PHS SERIES

SEMI-AUTOMATIC ROTARY PLASTIC-TO-PLASTIC CLAMSHELL AND BLISTER SEALING MACHINES

- Patent Pending Hot/Cold process provides safe and efficient sealing of PVC,
 PETG, GAG PET & similar materials
- Complete machine PLC control with color HMI
- Optional Finished Package Unloader available
- Smooth and reliable table operation with heavy-duty cam indexer and AC variable frequency drive
- Excellent for high volume OEM's and contract packagers



Description

Starview's PHS Series semi-automatic rotary type Clamshell and Blister sealers are designed for medium to higher volume production requirements. These machines may be used for Plastic-to-Plastic Clamshell sealing as well as conventional carded blisters, full face blisters and half-clamshell styles including applications using Tyvek, foils and other heat sealable lidstock. The PHS Series units are available in three (3), six (6) and eight (8) station designs. The standard machines feature one heated sealing station & one cooled station.

Starview's PHS Series rotary heat sealers are designed to include an optional self-standing automatic card feeding system and automatic package discharge system that may be purchased and added at any time as noted in the specification section below. An optional chiller installed in the machine eliminates the need for routing in-plant chilled water to the machine. Casters and a lightweight package hold down system are also offered for greater versatility.

Specifications

Model	PHS3-1418	PHS6-1418	PHS6-1824
Max sealing area:	14" x 18"	14" x 18"	18" x 24"
No. open stations:	1	4	4
Card feeder:	Not available	Not available	Not available
Finished package unloader:	Not available	Optional-Self standing	Optional-Self standing
Max clamshell/blister depth:	3.0"	3.0"	3.0"
Max clamshell back height:	1.25"	1.5"	3.0"
Avg. cycle speed clamshell pkg:	1-6 cpm	1-12 cpm	1-12 cpm
Avg. cycle speed blister pkg:	1-8 cpm	1-15 cpm	1-15 cpm
Approximate size:	55"W x 50"D x 70"H	66"W x 70"D x 70"H	88"W x 105"D x 90"H
Approximate wt:	1,500 LB.	2,200 LB.	2,900 LB.
Model	PHS8-1418		PHS8-1824
Max sealing area:	14" x 18"		18" x 24"
No. open stations:	5		5
Card feeder:	Optional-Self standing Op		tional-Self standing
Finished package unloader:	Standard		Standard
Max clamshell/blister depth:	3.0"		3.0"
Max clamshell back height:	1.5"		3.0"
Avg. cycle speed clamshell pkg:	1-12 cpm		1-10 cpm
Avg. cycle speed blister pkg:	1-15 cpm	1-14 cpm	
Approximate size:	96"W x 90"D x 70"H 120"W x 115"D x)"W x 115"D x 90"H
Approximate wt:	3,500 LB.		4,300 LB.

Please request specific model quotations for complete pricing, specifications and options from your local distributor. Feel free to contact Starview to obtain the contact information for the authorized distributor in your area.











Starview Packaging Machinery, Inc.

1840 St Regis Blvd. Dorval, Quebec H9P 1H6 North America Toll Free: 888-278-5555 Tel: 514-920-0100 Fax: 514-920-0092

sales@starview.net | www.starview.net

Manufacturers of a full line of Blister Packaging Machines, Clamshell Sealing Machines, Skin Packaging Machines, Food Packaging Machines, Medical & Pharmacentical Packaging Machines, Vacuum and Pressure Formers,

Die Cutting Machines and related tooling.

Copyright 2012 Starview Packaging Machinery, Inc.

