










Up to 60 per minute
FULLY AUTOMATIC
SCREW CAPPERS
MODEL S SERIES

Industries:

Food & Food Products
Household Products
Custom Packers
Glass & Cap Manufacturers
Pharmaceuticals
Drugs
Cosmetics
Chemicals & Oils
Special Applications



The Versatile, Simple to Use, In-Line Screw Cappers



S-30 - FLOOR PLAN

APPROX. WEIGHT 2200#
997.9 KG

Model S-30 Automatic Screw Capper



Supplied with air operated mechanical chuck.

Model S-30 PP Fully Automatic Plastic Plug Applicator

Plug Range: Available from 13 mm to 24 mm
Container Range: 1/2 oz. to 1 quart
Speeds: 20 to 55 per minute

Cap Ranges Available — 13 to 70mm
Container Range — 1/2 ounce to 1 gallon
Speeds of Operation — (vari-speed motor drives)
Model S-30 — 24/60 per minute (glass & metal containers)
24/55 per minute (plastic containers)

SPECIAL VARIATIONS QUOTED UPON REQUEST.





Cap Ranges Available — 58-77mm or 83-120mm (400 series caps)
 Container Range — 4 ounce to 1 gallon (wide mouth jars)
 Speeds of Operation — (vari-speed motor drives)
 Model S51 — 18 to 35 per minute — plastic, glass and metal containers

Model S-51 (for glass & metal only)

Air operated mechanical cap chucks are standard on above model.

SPECIAL VARIATIONS QUOTED UPON REQUEST.



Model S-41 Completely Automatic High Speed Screw Capper

Top friction chuck available for this model.

Cap Ranges Available — 38-53mm or 58 to 89mm (400 series caps)


Container Range — 2 ounce to 1 gallon

Speeds of Operation — (vari-speed motor drives)


Model S41 — 24/60 per minute (glass & metal containers)

24/55 per minute (plastic containers)

SPECIAL VARIATIONS QUOTED UPON REQUEST.




FRONT OF MACHINE



APPROX. WEIGHT 2200#
997.9 KG

FRONT OF MACHINE



Model S-36 (for caps higher than 1 3/8")

Supplied with air operated mechanical chuck.

Speeds: 18 to 45 caps per minute
Cap ranges from 18mm to 38mm
Container range — 1/2 ounce to 1 gallon

SPECIAL VARIATIONS QUOTED UPON REQUEST.

**Resina is a manufacturer of automatic screw cappers,
internal plug inserters, fitment applicators, inner
sealers, friction lid placers . . . all designed to fit
any production line.**


BROOKLYN, NY 11231
(718) 875-6020




REPRESENTED BY:

L & M SALES CO.
540 Frontage Road
Suite 233A
Northfield, IL 60093
Phone (708) 441-6555

1) ALL DIRECTIONS ARE APPROXIMATE
2) APPROX. TOTAL WT 5200#



FRONT OF MACHINE



FRONT OF MACHINE

— 2772541015
2772541015 2772541015
2772541015 2772541015

[illegible]

D. C. MOTOR COMPANY		RESINA AUTOMATIC MACHINERY CO., INC.	
VOLUNTEER-URLES SPECIALLY FACT, DINE & OILS CROWN, B. & 2nd		DIRECT OF - BRANCH	
DR.	SCALE	MAST.	REG.
28	116		
DATE		PART NO.	AND SERIAL
8/22/89			5750

893401

54-30