











The robust Swifty Bagger is engineered to automatically open, fill and seal pre-made pouches and operate on a variety of bag styles, including pillow, stand-up, gusseted and quad bags, with a zipper enclosure or a carry handle.

Designed for performance, serviceability, cleanability and ease of use, the Swifty Bagger offers the following features:

#### Construction:

The Swifty includes a heavy duty robust frame with stainless steel sheet metal.

## Design:

It's unique straight flow design makes accessibility of parts easy and allows for the operator to see the entire filling process from the front of the machine without blind spots.

## Cleaning / Sanitation:

Simply open the front clear lexan doors of the Swifty and access all bag filling components and clean in a matter of minutes with only one person.

## Servicing:

Designed for food safety, all cams are located in the back of the Swifty and the bag filling assembly is in the front. Product will never touch heavy duty, mechanics as they are separated. A service technician does not require an assistant when adjusting the machine as all the mechanics are accessible for one person.

### Bag Feeding:

Easy to adjust bag magazine ensures that pre-made bags enter the Swifty perfectly square, resulting in consistent output and perfect seals.

## Integration:

The Swifty Bagger easily integrates with any auxiliary filling machines including our PrimoCombi multi-head weigher, PrimoLinear net weigher and Star Auger for powders.

## **FEATURES**

- No bag, no fill and no fill, no seal
- Zipper opening device
- · Adjustable bag width and length
- Straight flow-through design
- Easy access drive mechanisms
- Integrated exit conveyor
- Stainless steel construction

## **SPECIFICATIONS**

## **Electrical**

North American: 230Vac / 1Ph / 60Hz International: 240Vac / 1Ph / 50Hz

#### Air

North American: 25CFM / 90PSI International: 750L/min / 6bar



# **Junior**



3600



Up to 25

## MODEL

Swifty Jr. Swifty 3600 Swifty 1200

## MAX BAG WIDTH MAX BAG LENGTH RATES / MIN

10 inches / 260 mm 10 inches / 260 mm 8 inches / 200 mm

Up to 18 Up to 40 11 inches / 280 mm

12 inches / 300 mm 18 inches / 400 mm















Las Vegas - Montreal - Miami

USA: 702-450-0808

Canada & Europe: 514-422-0808 Mexico / Latin America: 305-622-4070

www.weighpack.com