



BLISTER PACKAGING MACHINES

the **STARVIEW ADVANTAGE**

FROM MANUAL SHUTTLES, TO SEMI-AUTOMATIC ROTARIES TO FULLY AUTOMATIC ROTARIES, CAROUSELS & INLINE PACKAGING MACHINES



FAB8-1418-3
FULLY AUTOMATIC ROTARY BLISTER MACHINE

FAB8-1824-3

New!
APB option



 CONSUMER GOODS	 MEDICAL DEVICE	 NUTRACEUTICAL
 FOOD	 PHARMACEUTICAL	 AFTERMARKET PARTS

Markets we serve everyday

INNOVATIVE PACKAGING MACHINES
www.starviewpackaging.com

BLISTER PACKAGING MACHINES

MODELS COMPARAISON

Click on miniature for more information about that series of Packaging Machines



SB/SSB



MS2



RB4 / RB6



ERB6 / ERB8

Type of blister machine:	General purpose shuttle	General purpose shuttle	Economical rotary	Semi-automatic rotary
Size type of production:	Small to medium	Small to medium	Medium	Medium to large
Nominal sealing area:	14" x 18"	18" x 24" / 24" x 30" / 24" x 36"	14" x 18" / 12" x 14"	14" x 18" / 18" x 24"
Maximum blister depth:	3.25"	3.25"	3.25"	3.25"
Products loading operation:	Manual	Manual 2 stations	Semi-automatic	Semi-automatic
Open loading stations:	1 or 2	2	3 or 5	5 or 7
Number of sealing fixtures:	1 or 2	2	4 or 6	6 or 8
Blister feeder:	N/A	N/A	N/A	N/A
Card feeder(s):	N/A	N/A	N/A	Optional
Finished package unloader:	N/A	N/A	N/A	Optional



FAB4



FAB6 / FAB8



FAB-APB

Type of blister machine:	Fully automatic rotary	Fully automatic rotary	Fully automatic rotary
Size type of production:	High volume or JIT	High volume or JIT	High volume or JIT
Nominal sealing area:	10" x 12" / 12" x 16"	14" x 18" / 18" x 24"	14" x 18" / 18" x 24"
Maximum blister depth:	3.25"	3.5"	3.5"
Products loading operation:	Fully automatic	Fully automatic	Fully automatic
Number of sealing fixtures:	4	6 or 8	4, 6 or 8
Open loading stations:	1	2, 3 or 4	3 or 4
Blister feeder:	Standard	Standard	Standard
Card feeder(s):	Standard	Standard	Standard
Finished package unloader:	Standard	Standard	Standard

BLISTER PACKAGING MACHINES

MODELS COMPARAISON

Click on miniature for more information about that series of Packaging Machines



	BSC	CBS	CBS-APB
Type of blister machine:	Fully automatic carousel	Fully automatic inline	Fully automatic inline
Size type of production:	High volume	High volume	High volume
Nominal sealing area:	14" x 18" / 18" x 24"	14" x 28"	14" x 28"
Maximum blister depth:	3.25"	3.25"	3.25"
Products loading operation:	Fully automatic	Fully automatic	Fully automatic
Number of sealing fixtures:	16	30	30
Open loading stations:	9	7	4
Blister feeder:	Standard	Standard	Standard
Card feeder(s):	Standard	Standard	Standard
Finished package unloader:	Standard	Standard	Standard



SB, SSB SERIES GENERAL PURPOSE SHUTTLE BLISTER SEALING MACHINE



ESB1-1012



SB1-1418



SB1-1012

EXPERIENCE
the **STARVIEW**
ADVANTAGE
INNOVATIVE PACKAGING MACHINES

Starview Packaging Machinery, Inc.

Toll Free: 888-278-5555

www.starviewpackaging.com

sales@starviewpackaging.com

SB, ESB & SSB SERIES GENERAL PURPOSE SHUTTLE BLISTER SEALING MACHINE

YOUR MARKET ... OUR SOLUTIONS

The **SB** and **SSB Series** Manual Shuttle Blister Sealers are designed and built for industrial applications.

These machines are simply designed for ease of operator training and operation.

An efficient heating system keeps power consumption low. This series machines can adapt to seal blister packages for a wide range of products by simply changing the tooling. These systems are competitively priced making them ideal for contract packagers or low volume equipment manufacturers. The **SB** and **SSB Series** shuttle sealers will provide years of dependable performance with a minimum of maintenance.

For machines capable of higher production rates please consider Starview's **RB, ERB, FAB, BSC & CBS Series**.



the **STARVIEW** **ADVANTAGE**

- A heavy-duty industrial unit that can produce packages that look like they were produced on a high production machine.
- Uses quick-change cost effective multi-ply hardwood or durable aluminum tooling.
- Large sealing area MS Series machines available to produce oversize packages such as club store trapped blister designs.
- Digital temperature controller and electronic sealing cycle timer for process repeatability.
- Industry leading design, construction, features and customer support.



CONSUMER GOODS



FOOD



MEDICAL DEVICE



PHARMACEUTICAL



NUTRACEUTICAL



AFTERMARKET PARTS

Markets we serve everyday

more on next page

SB, ESB & SSB SERIES SPECIFICATIONS

	SB1-1012	SB1-1418
Nominal sealing area:	10" x 12"	14" x 18"
Number of open stations:	1	1
Floor stand:	N/A	Standard
Max blister depth:	3.25"	3.25"
Average cycle speed:	1 – 6 cpm	1 – 6 cpm
Electrical:	115 Volts / 1 PH / 13 Amps	208-240 Volts / 1 PH / 13 Amps

	ESB1-1012	SSB2-1418
Nominal sealing area:	10" x 12"	14" x 18"
Number of open stations:	1	2
Floor stand:	N/A	Standard
Max blister depth:	3.25"	3.25"
Average cycle speed:	1 – 6 cpm	1 – 6 cpm
Electrical:	115 Volts / 1 PH / 15 Amps	208-240 Volts / 1 PH / 13 Amps

Specifications and model availability are subject to change without notice.



REQUEST
A
QUOTE

Please request specific model quotations for complete pricing, specifications and options from your local distributor. Feel free to contact Starview to obtain the contact information for the authorized distributor in your area.



Starview Packaging Machinery, Inc.

Toll Free: 888-278-5555

www.starviewpackaging.com

sales@starviewpackaging.com

Copyright 2022 Starview Packaging Machinery, Inc.





MS SERIES GENERAL PURPOSE SHUTTLE BLISTER SEALING MACHINE



MS2-1824



MS2-2436

EXPERIENCE
the **STARVIEW**
ADVANTAGE
INNOVATIVE PACKAGING MACHINES

Starview Packaging Machinery, Inc.

Toll Free: 888-278-5555 www.starviewpackaging.com sales@starviewpackaging.com

MS SERIES

GENERAL PURPOSE SHUTTLE BLISTER SEALING MACHINE

YOUR MARKET ... OUR SOLUTIONS

MS Series manual shuttle blister sealers are designed and built for industrial applications. These machines are simply designed for ease of operator training and operation. An efficient heating system keeps power consumption low. This series machines can adapt to seal blister packages for a wide range of products by simply changing the tooling. These systems are competitively priced making them ideal for contract packagers, Club Store packaging or large products with lower volumes. The **MS Series** shuttle sealers will provide years of dependable performance with a minimum of maintenance.

MS Series manual shuttle machines are available with larger nominal sealing areas of 18 x 24 inches, 24 x 30 inches and 24 x 36 inches.

For machines capable of higher production rates please consider Starview's **RB, ERB, FAB, BSC & CBS Series**.



MS2-1824

the STARVIEW ADVANTAGE

- A heavy-duty industrial unit that can produce packages that look like they were produced on a high production machine.
- Uses quick-change cost effective multi-ply hardwood or durable aluminum tooling.
- Standard size sealing area SB Series machines available to produce lower volume or smaller retail packages
- Digital temperature controller and electronic sealing cycle timer for process repeatability.
- Industry leading design, construction, features and customer support



CONSUMER GOODS



FOOD



MEDICAL DEVICE



PHARMACEUTICAL



NUTRACEUTICAL



AFTERMARKET PARTS

Markets we serve everyday

more on next page

MS SERIES SPECIFICATIONS

	MS2-1824	MS2-2430	MS2-2436
Nominal sealing area:	18" x 24"	24" x 30"	24" x 36"
Number of open stations:	2	2	2
Floor stand:	Standard	Standard	Standard
Max blister depth:	3.25"	3.25"	3.25"
Average cycle speed:	1 – 6 cpm	1 – 6 cpm	1 – 6 cpm
Electrical:	208-240 Volts / 3 PH / 25 Amps	208-240 Volts / 3 PH / 30 Amps	208-240 Volts / 3 PH / 40 Amps

Specifications and model availability are subject to change without notice.



REQUEST
A
QUOTE

Please request specific model quotations for complete pricing, specifications and options from your local distributor. Feel free to contact Starview to obtain the contact information for the authorized distributor in your area.



Starview Packaging Machinery, Inc.

Toll Free: 888-278-5555

www.starviewpackaging.com

sales@starviewpackaging.com

Copyright 2022 Starview Packaging Machinery, Inc.





RB SERIES ECONOMICAL ROTARY BLISTER SEALING MACHINES



RB4-1418



RB6-1214

EXPERIENCE
the **STARVIEW**
ADVANTAGE
INNOVATIVE PACKAGING MACHINES

Starview Packaging Machinery, Inc.

Toll Free: 888-278-5555 www.starviewpackaging.com sales@starviewpackaging.com

RB SERIES

ECONOMICAL ROTARY BLISTER SEALING MACHINE

YOUR MARKET ... OUR SOLUTIONS

Starview's **RB series** semi-automatic rotary type heat sealers are designed for medium to higher volume production requirements where an economical but simple to operate machine is required. These machines may be used for conventional carded blisters, full face blisters as well as applications using Tyvek, foils and other heat sealable lidstock.

The standard machines feature one sealing station with the remaining stations used for load/unload stations.

For machines capable of higher production rates please consider Starview's **RB, ERB, FAB, BSC & CBS Series**.

the **STARVIEW** **ADVANTAGE**

- An economical rotary blister series machine for the budget conscious customer.
- Uses quick-change cost effective multi-ply hardwood or durable aluminum tooling.
- ANSI Class 4 machine safety for operator protection.
- Digital temperature controller and PLC with LCD HMI screen for process repeatability.
- AC Variable frequency precision cam index rotary table drive for smooth table operation and position repeatability.
- Industry leading design, construction, features and customer support.



Markets we serve everyday

more on next page

RB SERIES SPECIFICATIONS

	RB4-1418	RB6-1214
Nominal sealing area:	14" x 18"	12" x 14"
Number of open stations:	3	5
Maximum blister depth:	3.25"	3.25"
Average cycle speed:	1 – 8 cpm	1 – 8 cpm
Electrical:	208-240 Volts / 1 PH / 16 Amps	115 Volts / 1 PH / 20 Amps or 208-240 Volts / 1 PH / 16 Amps

Specifications and model availability are subject to change without notice.



REQUEST
A
QUOTE

Please request specific model quotations for complete pricing, specifications and options from your local distributor. Feel free to contact Starview to obtain the contact information for the authorized distributor in your area.



Starview Packaging Machinery, Inc.

Toll Free: 888-278-5555

www.starviewpackaging.com

sales@starviewpackaging.com

Copyright 2022 Starview Packaging Machinery, Inc.





ERB SERIES SEMI-AUTOMATIC ROTARY BLISTER SEALING MACHINES



ERB6-1824
SHOWN WITH OPTIONNAL
SELF STANDING CARD FEEDER
AND SELF STANDING FINISHED PACKAGE UNLOADER



ERB6-1418

EXPERIENCE
the **STARVIEW**
ADVANTAGE
INNOVATIVE PACKAGING MACHINES

Starview Packaging Machinery, Inc.

Toll Free: 888-278-5555 www.starviewpackaging.com sales@starviewpackaging.com

ERB SERIES

SEMI-AUTOMATIC ROTARY BLISTER SEALING MACHINE

YOUR MARKET ... OUR SOLUTIONS

Starview's **ERB series** rotary type heat sealers are designed for medium to higher volume production requirements. These machines may be used for conventional carded blisters, trapped blister, club store trapped packages, full face blisters and half-clamshell styles as well as applications using Tyvek, foils and other heat sealable lidstock. The **ERB serie** units are available in six (6) and eight (8) station designs. Models are available in standard sealing areas of 14 x 18 and 18 x 24 inches. Larger sealing areas are available on request. The standard machines feature one sealing station with the remaining stations used for load/unload stations.

For machines capable of higher production rates please consider Starview's **FAB, BSC & CBS Series**.



the STARVIEW ADVANTAGE

- A wide range of standard and custom features available to match customer requirements.
- ANSI Class 4 machine safety for operator protection.
- Color touch screen HMI for the ultimate in operator convenience and accessibility. Includes storage for 99 databases and on-screen data tracking.
- A Starview exclusive remote access via standard Ethernet hardwire or optional Wi-Fi router gives management access to real-time process information from the machine.
- Uses quick-change cost effective multi-ply hardwood or durable aluminum tooling.
- AC Variable frequency precision cam index rotary table drive for smooth table operation and position repeatability.
- Starview's exclusive selectable sealing station program allows the use of one (1) through six (6) sealing fixtures with operator selected start position from the HMI for short runs or single person operation.
- Optional self-standing card feeder and finished package unloader may be added at any time to increase the machine versatility and lower labor costs.
- Industry leading design, construction, features and customer support.



more on next page

ERB SERIES SPECIFICATIONS

	ERB6-1418	ERB6-1824
Nominal sealing area:	14" x 18"	18" x 24"
Number of open stations:	5	5
Maximum blister depth:	3.25"	3.25"
Average cycle speed:	1 – 15 cpm	1 – 15 cpm
Electrical:	208-230 Volts / 1 PH / 25 Amps	208-230 Volts / 1 PH / 55 Amps or 208-230 Volts / 3 PH / 40 Amps

	ERB8-1418	ERB8-1824
Nominal sealing area:	14" x 18"	18" x 24"
Number of open stations:	7	7
Maximum blister depth:	3.25"	3.25"
Average cycle speed:	1 – 15 cpm	1 – 15 cpm
Electrical:	208-230 Volts / 1 PH / 30 Amps or 208-230 Volts / 3 PH / 20 Amps	208-230 Volts / 1 PH / 63 Amps or 208-230 Volts / 3 PH / 40 Amps

Specifications and model availability are subject to change without notice.



REQUEST
A
QUOTE

Please request specific model quotations for complete pricing, specifications and options from your local distributor. Feel free to contact Starview to obtain the contact information for the authorized distributor in your area.



Starview Packaging Machinery, Inc.

Toll Free: 888-278-5555

www.starviewpackaging.com

sales@starviewpackaging.com

Copyright 2022 Starview Packaging Machinery, Inc.





FAB4 SERIES FULLY AUTOMATIC ROTARY BLISTER SEALING MACHINES



FAB4-1216
SHOWN WITH OPTIONAL CASTERS
AND LIGHT TOWER



FAB4-1012
SHOWN WITH OPTIONAL CASTER

EXPERIENCE
the **STARVIEW**
ADVANTAGE
INNOVATIVE PACKAGING MACHINES

Starview Packaging Machinery, Inc.

Toll Free: 888-278-5555 www.starviewpackaging.com sales@starviewpackaging.com

FAB4 SERIES

FULLY AUTOMATIC ROTARY BLISTER SEALING MACHINE

YOUR MARKET ... OUR SOLUTIONS

Starview's **FAB4 series** fully automated rotary type blister sealing machines are ideal for high volume or JIT production. Given the proper conditions these machines are capable of up to 20 cycles per minute in production. The **FAB4 series** automated rotary blister sealing machines are built with the capability to feed blister(s), blister card(s) and discharge finished packages when proper tooling is installed. These machines may be used for conventional carded blisters, full face blisters and half-clamshell styles. The four-station models have 10" x 12" and 12" x 16" sealing areas.

For machines capable of higher production rates and advanced automation features please consider Starview's **FAB6 & 8 Series, BSC Series Carousel & CBS Series Inline** machines.

the **STARVIEW** **ADVANTAGE**

- Compact size and automatic card and blister feeding with finished package unloading make this series ideal for single operator work-cell operation.
- ANSI Class 4 machine safety for operator protection.
- Right-hand or left-hand unloader versions available to match production work flow.
- Color touch screen HMI for the ultimate in operator convenience and accessibility. Includes storage for 99 databases and on-screen data tracking.
- A Starview exclusive remote access via standard Ethernet hardwire or optional Wi-Fi router gives management access to real-time process information from the machine.
- AC Variable frequency precision cam index rotary table drive for smooth table operation and position repeatability.
- Electrically driven automatic blister feeder, card feeder & finished package unloader greatly reduce machine air consumption.
- Uses quick-change cost effective multi-ply hardwood or durable aluminum tooling.
- Industry leading design, construction, features and customer support.



Markets we serve everyday

more on next page

FAB4 SERIES SPECIFICATIONS

	FAB4-1012	FAB4-1216
Nominal sealing area:	10" x 12"	12" x 16"
Open loading stations:	1	1
Blister feeder:	Standard	Standard
Card feeder(s):	Standard	Standard
Finished package unloader:	Standard	Standard
Maximum blister depth:	3.25"	3.25"
Average cycle speed:	1 – 20 cpm	1 – 20 cpm
Electrical:	220 Volts / 1 PH / 25 Amps	220 Volts / 3 PH / 25 Amps

Specifications and model availability are subject to change without notice.



Please request specific model quotations for complete pricing, specifications and options from your local distributor. Feel free to contact Starview to obtain the contact information for the authorized distributor in your area.



Starview Packaging Machinery, Inc.

Toll Free: 888-278-5555

www.starviewpackaging.com

sales@starviewpackaging.com

Copyright 2022 Starview Packaging Machinery, Inc.





FAB6 & FAB8 SERIES FULLY AUTOMATIC ROTARY BLISTER SEALING MACHINES



FAB8-1418



FAB8-1824-3



FAB6-1418

EXPERIENCE
the **STARVIEW**
ADVANTAGE
INNOVATIVE PACKAGING MACHINES

Starview Packaging Machinery, Inc.

Toll Free: 888-278-5555 www.starviewpackaging.com sales@starviewpackaging.com

FAB6 & FAB8 SERIES

FULLY AUTOMATIC ROTARY BLISTER SEALING MACHINES

YOUR MARKET ... OUR SOLUTIONS

Starview's **FAB Series** fully automated rotary type blister sealing machines are ideal for high volume or JIT production. Given the proper conditions certain models of these machines are capable of up to 20 cycles per minute in production. The **FAB Series** automated rotary blister sealing machines are built with the capability to feed blister(s), blister card(s) and discharge finished packages when proper tooling is installed. These machines may be used for conventional carded blisters, trapped blisters, club store trapped packages, full face blisters and half-clamshell styles as well as some applications using Tyvek, foils and other heat sealable lidstock. Four (4), six (6) and eight (8) station models are available. Four station models have 10" x 12" and 12" x 16" sealing areas and six and eight station machines are available with 14" x 18" or 18" x 24" sealing areas.

For machines capable of higher finished package volumes or with additional open stations for automation please consider Starview's **BSC Series Carousel** or **CBS Series Inline machines**.



FAB8-1418
WHITE FINISH

the STARVIEW ADVANTAGE

- A wide range of standard and custom automation features available to match customer requirements.
- ANSI Class 4 machine safety for operator protection.
- Automatic blister feeder, card feeder & finished package unloader provide reduced labor costs.
- Color touch screen HMI for the ultimate in operator convenience and accessibility. Includes storage for 99 databases and on-screen data tracking.
- A Starview exclusive remote access via standard Ethernet hardwire or optional Wi-Fi router gives management access to real-time process information from the machine.
- AC Variable frequency precision cam index rotary table drive for smooth table operation and position repeatability.
- Quick-change mounting for relieved face plates
- Uses quick-change cost effective multi-ply hardwood or durable aluminum tooling.
- Industry leading design, construction, features and customer support.



CONSUMER GOODS



FOOD



MEDICAL DEVICE



PHARMACEUTICAL



NUTRACEUTICAL



AFTERMARKET PARTS

Markets we serve everyday

more on next page

FAB6 & FAB8 SERIES

SPECIFICATIONS

	FAB6-1418
Nominal sealing area:	14" x 18"
Open loading stations:	2
Blister feeder:	(1) Standard
Card feeder(s):	(1) Standard
Finished package unloader:	Standard
Maximum blister depth:	3.5"
Average cycle speed:	1 – 18 cpm
Electrical:	208-230 Volts / 3 PH / 25 Amps

	FAB6-1824
Nominal sealing area:	18" x 24"
Open loading stations:	2
Blister feeder:	(1) Standard
Card feeder(s):	(1) Standard
Finished package unloader:	Standard
Maximum blister depth:	3.5"
Average cycle speed:	1 – 14 cpm
Electrical:	208-230 Volts / 3 PH / 45 Amps

	FAB8-1418
Nominal sealing area:	14" x 18"
Open loading stations:	4
Blister feeder:	(1) Standard
Card feeder(s):	(1) Standard
Finished package unloader:	Standard
Maximum blister depth:	3.5"
Average cycle speed:	1 – 18 cpm
Electrical:	208-230 Volts / 3 PH / 25 Amps

	FAB8-1418-3
Nominal sealing area:	14" x 18"
Open loading stations:	3
Blister feeder:	(1) Standard
Card feeder(s):	(2) Standard
Finished package unloader:	Standard
Maximum blister depth:	3.5"
Average cycle speed:	1-18 cpm
Electrical:	208-230 Volts / 3 PH / 25 Amps

	FAB8-1824
Nominal sealing area:	18" x 24"
Open loading stations:	4
Blister feeder:	(1) Standard
Card feeder(s):	(1) Standard
Finished package unloader:	Standard
Maximum blister depth:	3.5"
Average cycle speed:	1 – 16 cpm
Electrical:	208-230 Volts / 3 PH / 45 Amps

	FAB8-1824-3
Nominal sealing area:	18" x 24"
Open loading stations:	3
Blister feeder:	(1) Standard
Card feeder(s):	(2) Standard
Finished package unloader:	Standard
Maximum blister depth:	3.5"
Average cycle speed:	1-16 cpm
Electrical:	208-230 Volts / 3 PH / 45 Amps

Specifications and model availability are subject to change without notice.



Please request specific model quotations for complete pricing, specifications and options from your local distributor. Feel free to contact Starview to obtain the contact information for the authorized distributor in your area.



Starview Packaging Machinery, Inc.

Toll Free: 888-278-5555

www.starviewpackaging.com

sales@starviewpackaging.com

Copyright 2022 Starview Packaging Machinery, Inc.





FAB8-1418-APB SERIES FULLY AUTOMATIC ROTARY ALL-PAPER BLISTER SEALING MACHINES



FAB8-1418-APB
WITH STAND ALONE FEEDER AND UNLOAD CONVEYOR

NEW!

*Perfect Ecological Solution for
CPG Carded Packaging*



EXPERIENCE
the **STARVIEW**
ADVANTAGE
INNOVATIVE PACKAGING MACHINES

Starview Packaging Machinery, Inc.

Toll Free: 888-278-5555 www.starviewpackaging.com sales@starviewpackaging.com

FAB8-1418-APB SERIES

FULLY AUTOMATIC ROTARY ALL-PAPER BLISTER SEALING MACHINES

YOUR MARKET ... OUR SOLUTIONS

Starview's **FAB Series** fully automated rotary type blister sealing machines are ideal for high volume or JIT production. Given the proper conditions certain models of these machines are capable of up to 20 cycles per minute in production. The **FAB Series** automated rotary blister sealing machines are built with the capability to feed blister(s), blister card(s) and discharge finished packages when proper tooling is installed. These machines may be used for conventional carded blisters, trapped blisters, club store trapped packages, full face blisters and half-clamshell styles as well as some applications using Tyvek, foils and other heat sealable lidstock. Four (4), six (6) and eight (8) station models are available. Four station models have 10" x 12" and 12" x 16" sealing areas and six and eight station machines are available with 14" x 18" or 18" x 24" sealing areas.

For machines capable of higher finished package volumes or with additional open stations for automation please consider Starview's **BSC Series Carousel** or **CBS Series Inline machines**.



FAB8-1418-3

the STARVIEW ADVANTAGE

- A wide range of standard and custom automation features available to match customer requirements.
- ANSI Class 4 machine safety for operator protection.
- Automatic blister feeder, card feeder & finished package unloader provide reduced labor costs.
- Color touch screen HMI for the ultimate in operator convenience and accessibility. Includes storage for 99 databases and on-screen data tracking.
- A Starview exclusive remote access via standard Ethernet hardwire or optional Wi-Fi router gives management access to real-time process information from the machine.
- AC Variable frequency precision cam index rotary table drive for smooth table operation and position repeatability.
- Quick-change mounting for relieved face plates
- Uses quick-change cost effective multi-ply hardwood or durable aluminum tooling.
- Industry leading design, construction, features and customer support.



CONSUMER GOODS



FOOD



MEDICAL DEVICE



PHARMACEUTICAL



NUTRACEUTICAL



AFTERMARKET PARTS

Markets we serve everyday

more on next page

FAB8-1418-APB SERIES

FULLY AUTOMATIC ROTARY ALL-PAPER BLISTER SEALING MACHINES

	FAB8-1418-3	FAB8-1824	FAB8-1824-3
Nominal sealing area:	14" x 18"	18" x 24"	18" x 24"
Open loading stations:	3	4	3
Blister feeder:	(1) Standard	(1) Standard	(1) Standard
Card feeder(s):	(2) Standard	(1) Standard	(2) Standard
Finished package unloader:	Standard	Standard	Standard
Maximum blister depth:	3.5"	3.5"	3.5"
Average cycle speed:	1-18 cpm	1 – 16 cpm	1-16 cpm
Electrical:	208-230 Volts / 3 PH / 25 Amps	208-230 Volts / 3 PH / 45 Amps	208-230 Volts / 3 PH / 45 Amps

Specifications and model availability are subject to change without notice.

 **Rohrer** The *All-Paper Blister* is part of Rohrer's ezCombo program - rohrer.com



REQUEST
A
QUOTE

Please request specific model quotations for complete pricing, specifications and options from your local distributor. Feel free to contact Starview to obtain the contact information for the authorized distributor in your area.



Starview Packaging Machinery, Inc.

Toll Free: 888-278-5555

www.starviewpackaging.com

sales@starviewpackaging.com

Copyright 2022 Starview Packaging Machinery, Inc.





BSC SERIES FULLY AUTOMATIC CAROUSEL BLISTER SEALING MACHINES



BSC16-1418 MACHINE

EXPERIENCE
the **STARVIEW**
ADVANTAGE
INNOVATIVE PACKAGING MACHINES

Starview Packaging Machinery, Inc.

Toll Free: 888-278-5555 www.starviewpackaging.com sales@starviewpackaging.com

BSC SERIES

FULLY AUTOMATIC CAROUSEL BLISTER SEALING MACHINE

YOUR MARKET ... OUR SOLUTIONS

Starview's **BSC series** carousel type **Blister sealers** are designed for high volume production requirements. Sixteen (16) station machines are standard; however, custom units can be manufactured with anywhere from ten (10) to twenty (20) or more stations. Standard sealing areas of 14" x 18" and 18" x 24" are offered as well as custom sizes. The **BSC series** machines may be used for conventional carded blisters, trapped blisters, club store trapped packages, full face blisters and half-clamshell styles as well as some applications using Tyvek, foils and other heat sealable lidstock. The standard **BSC series** machines feature one heated sealing station, one blister feed station, one card feed station and one finished package unload station with the remaining stations used for operator product loading stations and advanced automation such as printing, vision systems, production detection, etc.

For machines capable of extremely high finished package volumes and open stations for automation please consider Starview's **CBS Series Inline** machines.

the STARVIEW ADVANTAGE

- A wide range of standard and custom automation features available to match customer requirements.
- ANSI Class 4 machine safety for operator protection.
- Automatic blister feeder, card feeder & finished package unloader provide reduced labor costs.
- Color touch screen HMI for the ultimate in operator convenience and accessibility. Includes storage for 99 databases and on-screen data tracking.
- A Starview exclusive remote access via standard Ethernet hardwire or optional Wi-Fi router gives management access to real-time process information from the machine.
- AC Variable frequency precision cam index conveyor drive for smooth operation and position repeatability.
- Uses quick-change cost effective multi-ply hardwood or durable aluminum tooling.
- Industry leading design, construction, features and customer support.



more on next page

BSC SERIES SPECIFICATIONS

	BSC16-1418	BSC16-1824
Nominal sealing area:	14" x 18"	18" x 24"
Total no. of sealing fixtures:	16	16
Open loading stations:	9	9
Blister feeder:	Standard	Standard
Card feeder(s):	Standard	Standard
Finished package unloader:	Standard	Standard
Maximum blister depth:	3.25"	3.25"
Average cycle speed:	1 – 15 cpm	1 – 12 cpm
Electrical:	208-230 Volts / 3 PH / 35 Amps	208-230 Volts / 3 PH / 50 Amps 220 Volts / 3 PH / 25 Amps

Specifications and model availability are subject to change without notice.



REQUEST
A
QUOTE

Please request specific model quotations for complete pricing, specifications and options from your local distributor. Feel free to contact Starview to obtain the contact information for the authorized distributor in your area.



Starview Packaging Machinery, Inc.

Toll Free: 888-278-5555

www.starviewpackaging.com

sales@starviewpackaging.com

Copyright 2022 Starview Packaging Machinery, Inc.





CBS SERIES FULLY AUTOMATIC INLINE BLISTER SEALING MACHINES



CBS SERIES INLINE MACHINE
SHOWN WITH CARD AND BLISTER FEEDERS,
OPTIONAL PRODUCT DETECTION STATION, LIGHT TOWER AND FINISHED PACKAGE UNLOADER

EXPERIENCE
the **STARVIEW**
ADVANTAGE
INNOVATIVE PACKAGING MACHINES

Starview Packaging Machinery, Inc.

Toll Free: 888-278-5555 www.starviewpackaging.com sales@starviewpackaging.com

CBS SERIES

FULLY AUTOMATIC INLINE BLISTER SEALING MACHINE

YOUR MARKET ... OUR SOLUTIONS

Starview's **CBS series** Automated Inline Conveyor type blister sealing machines are ideal for high volume or JIT production. Given the proper conditions these machines are capable of up to 20 cycles per minute in production. Starview's automated inline conveyor blister sealing machines are built with the capability to feed blister(s), blister card(s) and discharge finished packages when proper tooling is installed. The **CBS series** machines may be used for conventional carded blisters, trapped blisters, club store trapped packages, full face blisters and half-clamshell styles as well as some applications using Tyvek, foils and other heat sealable lidstock. With multiple open loading stations these machines are ideal for automated product loading or where multiple items are to be placed in a single package. Machines with other sealing areas and different numbers of stations are also available.

Also see Starview's **FAB** Series for rotary and **BSC** Series for carousel style machines.

the STARVIEW ADVANTAGE

- A wide range of standard and custom automation features available to match customer requirements.
- Large format inline design to provide high volumes of finished packages and match linear plant workflow configurations.
- ANSI Class 4 machine safety for operator protection.
- Automatic blister feeder, card feeder & finished package unloader provide reduced labor costs.
- Color touch screen HMI for the ultimate in operator convenience and accessibility. Includes storage for 99 databases and on-screen data tracking.
- A Starview exclusive remote access via standard Ethernet hardwire or optional Wi-Fi router gives management access to real-time process information from the machine.
- AC Variable frequency precision cam index conveyor drive for smooth operation and position repeatability.
- Uses quick-change durable aluminum tooling.
- Industry leading design, construction, features and customer support.



Markets we serve everyday

more on next page

CBS SERIES SPECIFICATIONS

	CBS30-1428
Nominal sealing area:	14" x 28"
Total no. of sealing fixtures:	30
Open loading stations:	7
Blister feeder:	Standard
Card feeder(s):	Standard
Finished package unloader:	Pick and place transfer standard / Unload flip over is optional
Maximum blister depth:	3.5"
Average cycle speed:	1 – 20 cpm
Electrical:	208-230 Volts / 3 PH / 50 Amps

Specifications and model availability are subject to change without notice.



REQUEST
A
QUOTE

Please request specific model quotations for complete pricing, specifications and options from your local distributor. Feel free to contact Starview to obtain the contact information for the authorized distributor in your area.



Starview Packaging Machinery, Inc.

Toll Free: 888-278-5555

www.starviewpackaging.com

sales@starviewpackaging.com

Copyright 2022 Starview Packaging Machinery, Inc.





**CBS-APB SERIES
FULLY AUTOMATIC INLINE
BLISTER SEALING MACHINES WITH
AUXILIARY ALL PAPER BLISTER FEEDER OPTION**



CBS30-1428-APB
FULLY AUTOMATIC INLINE BLISTER PACKAGING MACHINES
WITH AUXILIARY ALL PAPER BLISTER FEEDER OPTION

NEW: Perfect Ecological Solution for CPG Carded Packaging

EXPERIENCE
the **STARVIEW**
ADVANTAGE
INNOVATIVE PACKAGING MACHINES

Starview Packaging Machinery, Inc.

Toll Free: 888-278-5555 www.starviewpackaging.com sales@starviewpackaging.com

CBS-APB SERIES

FULLY AUTOMATIC INLINE BLISTER SEALING MACHINE WITH AUXILIARY ALL PAPER BLISTER FEEDER OPTION

YOUR MARKET ... OUR SOLUTIONS

Starview's CBS APB Series machines are ideal for long, high-production quantity runs. These fully automated machines are available with thirty or more-stations and a standard sealing area of 14 x 28 inches.

Blister feeding or APB feeding, card feeding, sealing and finished package unloading are included.

CBS Series machines can produce all of the typical blister package styles including face seal, full face, double card trapped, Club style and half-clamshell.

Also see Starview's FAB Series for rotary and BSC Series for carousel style machines.

the STARVIEW ADVANTAGE

- A wide range of standard and custom automation features available to match customer requirements.
- Large format inline design to provide high volumes of finished packages and match linear plant workflow configurations.
- ANSI Class 4 machine safety for operator protection.
- Automatic blister feeder, card feeder & finished package unloader provide reduced labor costs.
- Color touch screen HMI for the ultimate in operator convenience and accessibility. Includes storage for 99 databases and on-screen data tracking.
- A Starview exclusive remote access via standard Ethernet hardware or optional Wi-Fi router gives management access to real-time process information from the machine.
- AC Variable frequency precision cam index conveyor drive for smooth operation and position repeatability.
- Uses quick-change durable aluminum tooling.
- Industry leading design, construction, features and customer support.



Markets we serve everyday

more on next page

CBS-APB SERIES SPECIFICATIONS

	CBS30-1428
Nominal sealing area:	14" x 28"
Total no. of sealing fixtures:	30
Open loading stations:	4
Blister feeder:	Standard
Card feeder(s):	Standard
Finished package unloader:	Pick and place transfer standard / Unload flip over is optional
Maximum blister depth:	3.5"
Average cycle speed:	1 – 20 cpm
Electrical:	208-230 Volts / 3 PH / 50 Amps

Specifications and model availability are subject to change without notice.



REQUEST
A
QUOTE

Please request specific model quotations for complete pricing, specifications and options from your local distributor. Feel free to contact Starview to obtain the contact information for the authorized distributor in your area.



Starview Packaging Machinery, Inc.

Toll Free: 888-278-5555

www.starviewpackaging.com

sales@starviewpackaging.com

Copyright 2022 Starview Packaging Machinery, Inc.

